



Qinyuan Bearing Manufacturing Co., Ltd.

4.724 Inch | 120 Millimeter x 4.961 Inch | 126 Millimeter x 6.299 Inch | 160 Millimeter NTN UCP324D1 Pillow Block Bearings



Bearing No. UCP324D1

UCP324D1 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	50.05
EAN	4547359227017
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	33 Millimeter
Relubricatable	Yes
Insert Part Number	UC324D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Heavy Duty Wide Inner Race Has Flinger
Long Description	2 Bolt Pillow Block; 120MM Bore; 160MM Base to Center Height; Set Screw Mount; Ball Bearing;



Qinyuan Bearing Manufacturing Co., Ltd.

	Relubricatable; Cast Iron; Single Lip Land Riding; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UCP324D1
Weight / LBS	110.231
D	4.961 Inch 126 Millimeter
d	4.724 Inch 120 Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
Actual Bolt Center to Center	17.7 Inch 450Millimeter
Bolt Spacing Maximum	0 Inch 0Millimeter
Nominal Bolt Center to Center	17.7 Inch 450 Millimeter
B	6.299 Inch 160 Millimeter
mounting:	Two-Bolt Base
overall height:	320 mm
bore diameter:	120 mm
finish/coating:	Uncoated
bore type:	Round
overall width:	126 mm
base to bore centerline:	160 mm
operating temperature range:	-15 to +100 ° C
duty type:	Heavy Duty
base width:	140 mm
housing material:	Cast Iron
bolt center-to-center length:	450 mm



Qinyuan Bearing Manufacturing Co., Ltd.

locking device:	Set Screw
lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
series:	UCP3
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UC324D1
overall length:	570 mm