



# Qinyuan Bearing Manufacturing Co., Ltd.

3 Inch | 76.2 Millimeter x 2.579 Inch | 65.507  
 Millimeter x 3.125 Inch | 79.38 Millimeter SKF SYE  
 3 NH Pillow Block Bearings



Bearing No. SYE 3 NH

SYE 3 NH Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	9.282
EAN	7316577312228
Product Group	M06288
Number of Mounting Holes	2
Mounting Method	Stepped Sleeve
Housing Style	2 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	22215
Seals	Trigard
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Double Row   Heavy Duty   Locating Bearing   Open End   With Grub Screw
Long Description	2 Bolt Pillow Block; 3" Bore; 3-1/8" Base to Center Height; Stepped Sleeve Mount; Spherical Roller



## Qinyuan Bearing Manufacturing Co., Ltd.

	Bearing; 9-1/4" Minimum Bolt Spacing; 9-3/4" Bolt Spacing Maximum; Relubricatable
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	SYE 3 NH
Weight / LBS	23.5
B	3.125 Inch   79.38 Millimeter
Actual Bolt Center to Center	0 Inch   0 Millimeter
Bolt Spacing Minimum	9.25 Inch   234.95 Millimeter
Bolt Spacing Maximum	9.75 Inch   247.65 Millimeter
Nominal Bolt Center to Center	9.5 Inch   241.3 Millimeter
D	2.579 Inch   65.507 Millimeter
d	3 Inch   76.2 Millimeter
bore diameter:	3.0000 in
expansion type:	Non-Expansion Bearing (Fixed)
overall length:	12.0000 in
finish/coating:	Uncoated
overall height:	6.3125 in
overall width:	3 in
mounting:	Two-Bolt Base
seal type:	Triple Lip
bearing type:	Spherical Roller
radial dynamic load capacity:	47700 lbf



## Qinyuan Bearing Manufacturing Co., Ltd.

bore type:	Round
radial static load capacity:	54000 lbf
housing construction:	Solid Pillow Block
maximum rpm:	2600 RPM
base to bore centerline:	3.1250 in
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
end type:	Open
locking device:	Concentric Collar
series:	SYE
bolt center-to-center length:	9-1/4 to 9-3/4 in
replacement bearing:	22215
base width:	3 in